



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#)

+cached query* +reuse count*

Terms used: [cached query](#) [reuse count](#)

F

Sort results
by

relevance


[Save results to a Binder](#)

 Refine these results with /
Try this search in [The ACM](#)
Display
results

expanded form


[Open results in a new window](#)

Results 1 - 20 of 127

Result page: 1 2 3 4 5 6 7 [next](#) [>>](#)

1 [Simulation analysis of virtual geographic routing](#)

David M. Nicol, Michael E. Goldsby, Michael M. Johnson

December 2004 WSC '04: Proceedings of the 36th conference on Winter simulation

Publisher: Winter Simulation Conference

Full text available: [pdf\(461.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 28, Citation Count: 1

Homeland defense applications will use large-scale ad-hoc networks of small devices. Routing is a crucial problem, for naive means do not scale well. Geographic Routing (GR) (Karp 2000; Giordano, Stojmenovic, and Blazevic 2003) offers hope for scalability, ...

2 [A predicate-based caching scheme for client-server database architectures](#)

Arthur M. Keller, Julie Basu

January 1996 The VLDB Journal — The International Journal on Very Large Data Bases,

Volume 5 Issue 1

Publisher: Springer-Verlag New York, Inc.

Full text available: [pdf\(162.80 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 51, Citation Count: 43

We propose a new client-side data-caching scheme for relational databases with a central server and multiple clients. Data are loaded into each client cache based on queries executed on the central database at the server. These queries are used to form ...

Keyw ords: Cache completeness, Cache currency, Caching, Multiple clients, Relational databases

3 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 CASCON '97: Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research


Publisher: IBM Press

Full text available: [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 56, Downloads (12 Months): 761, Citation Count: 0

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event ...

4 [Transparent caching with strong consistency in dynamic content web sites](#)


 [Cristiana Amza, Gokul Soundararajan, Emmanuel Cecchet](#)
June 2005 ICS '05: Proceedings of the 19th annual international conference on Supercomputing
Publisher: ACM


Full text available:  [pdf\(370.07 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 44, Citation Count: 0

We consider a cluster architecture in which dynamic content is generated by a database back-end and a collection of Web and application server front-ends. We study the effect of transparent query caching on the performance of such a cluster. Transparency ...

5 [I/O reference behavior of production database workloads and the TPC benchmarks—an analysis at the logical level](#)

 [Windsor W. Hsu, Alan Jay Smith, Honesty C. Young](#)
March 2001 ACM Transactions on Database Systems (TODS), Volume 26 Issue 1
Publisher: ACM

Full text available:  [pdf\(5.42 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)


Bibliometrics: Downloads (6 Weeks): 21, Downloads (12 Months): 144, Citation Count: 8

As improvements in processor performance continue to far outpace improvements in storage performance, I/O is increasingly the bottleneck in computer systems, especially in large database systems that manage huge amounts of data. The key to achieving ...

Keyw ords: I/O, TPC benchmarks, caching, locality, prefetching, production database workloads, reference behavior, sequentiality, workload characterization

6 [Managing multiple and distributed ontologies on the Semantic Web](#)

[A. Maedche, B. Motik, L. Stojanovic](#)
November 2003 The VLDB Journal — The International Journal on Very Large Data Bases,
Volume 12 Issue 4
Publisher: Springer-Verlag New York, Inc.

Full text available:  [pdf\(375.18 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 29, Downloads (12 Months): 216, Citation Count: 11

In traditional software systems, significant attention is devoted to keeping modules well separated and coherent with respect to functionality, thus ensuring that changes in the system are localized to a handful of modules. Reuse is seen as the key method ...


Keyw ords: Multiple and distributed ontologies, Ontology evolution

7 [Efficient use of the query optimizer for automated physical design](#)

[Stratos Papadomanolakis, Debabrata Dash, Anastasia Ailamaki](#)
September 2007 VLDB '07: Proceedings of the 33rd international conference on Very large data

bases

Publisher: VLDB Endowment

Full text available:  pdf(2.24 MB)Additional Information: [full citation](#), [abstract](#), [references](#)

Bibliometrics: Downloads (6 Weeks): 14, Downloads (12 Months): 55, Citation Count: 0

State-of-the-art database design tools rely on the query optimizer for comparing between physical design alternatives. Although it provides an appropriate cost model for physical design, query optimization is a computationally expensive process. The ...

8 [Just fast keying: Key agreement in a hostile internet](#)



William Aiello, Steven M. Bellovin, Matt Blaze, Ran Canetti, John Ioannidis, Angelos D.

Keromytis, Omer Reingold

May 2004 ACM Transactions on Information and System Security (TISSEC), Volume 7
Issue 2

Publisher: ACM

Full text available:  pdf(324.39 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 23, Downloads (12 Months): 156, Citation Count: 4

We describe Just Fast Keying (JFK), a new key-exchange protocol, primarily designed for use in the IP security architecture. It is simple, efficient, and secure; we sketch a proof of the latter property. JFK also has a number of novel engineering parameters ...

Keyw ords: Cryptography, denial-of-service attacks

9 [Context-based prefetch — an optimization for implementing objects on relations](#)

Philip A. Bernstein, Shankar Pal, David Shutt

December 2000 The VLDB Journal — The International Journal on Very Large Data Bases,
Volume 9 Issue 3

Publisher: Springer-Verlag New York, Inc.

Full text available:  pdf(142.24 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 65, Citation Count: 0

When implementing persistent objects on a relational database, a major performance issue is prefetching data to minimize the number of round-trips to the database. This is especially hard with navigational applications, since future accesses are unpredictable. ...

Keyw ords: Caching, Object-oriented database, Object-relational mapping, Prefetch

10 [DEW: DNS-enhanced web for faster content delivery](#)



Balachander Krishnamurthy, Richard Liston, Michael Rabinovich

May 2003 WWW '03: Proceedings of the 12th international conference on World Wide Web

Publisher: ACM

Full text available:  pdf(331.13 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 48, Citation Count: 2

With a key component of latency on the Web being connection set up between clients and Web servers, several ways to avoid connections have been explored. While the work in recent years on Content Distribution Networks (CDNs) have moved some content 'closer' ...

11 [ARCube: supporting ranking aggregate queries in partially materialized data cubes](#)



Tianyi Wu, Dong Xin, Jiawei Han

June 2008 SIGMOD '08: Proceedings of the 2008 ACM SIGMOD international conference on Management of data

Publisher: ACM

Full text available: [pdf\(411.77 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 30, Downloads (12 Months): 30, Citation Count: 0

Supporting ranking queries in database systems has been a popular research topic recently. However, there is a lack of study on supporting ranking queries in data warehouses where ranking is on multidimensional aggregates instead of on measures of base ...

Key words: data cube, partial materialization, ranking aggregate queries

12 [Labels and event processes in the Asbestos operating system](#)



Steve Vandebugart, Petros Efstathopoulos, Eddie Kohler, Maxwell Krohn, Cliff Frey, David Ziegler, Frans Kaashoek, Robert Morris, David Mazières

December 2007 ACM Transactions on Computer Systems (TOCS), Volume 25 Issue 4

Publisher: ACM

Full text available: [pdf\(1.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 34, Downloads (12 Months): 210, Citation Count: 0

Asbestos, a new operating system, provides novel labeling and isolation mechanisms that help contain the effects of exploitable software flaws. Applications can express a wide range of policies with Asbestos's kernel-enforced labels, including controls ...

Key words: Information flow, labels, mandatory access control, process abstractions, secure Web servers

13 [Summary cache: a scalable wide-area web cache sharing protocol](#)

Li Fan, Pei Cao, Jussara Almeida, Andrei Z. Broder

June 2000 IEEE/ ACM Transactions on Networking (TON), Volume 8 Issue 3

Publisher: IEEE Press

Full text available: [pdf\(220.29 KB\)](#) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 25, Downloads (12 Months): 446, Citation Count: 76

Key words: ICP, Web cache, Web proxy, bloom filter, cache sharing

14 [Exploring the tradeoff between performance and data freshness in database-driven Web servers](#)

Alexandros Labrinidis, Nick Roussopoulos

September 2004 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 13 Issue 3

Publisher: Springer-Verlag New York, Inc.

Full text available: [pdf\(387.89 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 8, Downloads (12 Months): 65, Citation Count: 0

Personalization, advertising, and the sheer volume of online data generate a staggering amount of dynamic Web content. In addition to Web caching, view materialization has been shown to accelerate the generation of dynamic Web content. View materialization ...

15 [Cooperative scans: dynamic bandwidth sharing in a DBMS](#)

Marcin Zukowski, Sándor Héman, Niels Nes, Peter Boncz


September 2007 VLDB '07: Proceedings of the 33rd international conference on Very large data bases

Publisher: VLDB Endowment



Full text available:  [pdf\(462.51 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Bibliometrics: Downloads (6 Weeks): 8, Downloads (12 Months): 50, Citation Count: 0


This paper analyzes the performance of concurrent (index) scan operations in both record (NSM/PAX) and column (DSM) disk storage models and shows that existing scheduling policies do not fully exploit data-sharing opportunities and therefore result in ...

16 [Queue: Volume 6 Issue 3](#) May 2008 issue Volume 6 Issue 3

Publisher: ACM


Full text available:  [pdf\(5.56 MB\)](#)  [digital edition](#) Additional Information: [full citation](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 0, Citation Count: 0

17 [QPipe: a simultaneously pipelined relational query engine](#) Stavros Harizopoulos, Vladislav Shkapenyuk, Anastassia Ailamaki

June 2005 SIGMOD '05: Proceedings of the 2005 ACM SIGMOD international conference on Management of data

Publisher: ACM

Full text available:  [pdf\(506.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 132, Citation Count: 3


Relational DBMS typically execute concurrent queries independently by invoking a set of operator instances for each query. To exploit common data retrievals and computation in concurrent queries, researchers have proposed a wealth of techniques, ranging ...

18 [Rendering with coherent layers](#)

Jed Lengyel, John Snyder

August 1997 SIGGRAPH '97: Proceedings of the 24th annual conference on Computer graphics and interactive techniques

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available:  [pdf\(1.32 MB\)](#) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 51, Citation Count: 11

Keywords: Talisman, affine transformation, image compositing, image-based rendering, sprite

19 [The holodeck ray cache: an interactive rendering system for global illumination in nondiffuse environments](#)

Gregory Ward, Maryann Simmons



October 1999 ACM Transactions on Graphics (TOG), Volume 18 Issue 4

Publisher: ACM

Full text available: pdf(935.74 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 66, Citation Count: 9

We present a new method for rendering complex environments using interactive, progressive, view-independent, parallel ray tracing. A four-dimensional holodeck data structure serves as a rendering target and caching mechanism for interactive ...

Keywords: illumination, image reconstruction, mesh generation, ray tracing, rendering system, virtual reality

20 [An approximate global illumination system for computer generated films](#)



Eric Tabellion, Arnauld Lamorlette

August 2004 SIGGRAPH '04: ACM SIGGRAPH 2004 Papers

Publisher: ACM

Full text available: pdf(819.51 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 30, Downloads (12 Months): 179, Citation Count: 7

Lighting models used in the production of computer generated feature animation have to be flexible, easy to control, and efficient to compute. Global illumination techniques do not lend themselves easily to flexibility, ease of use, or speed, and have ...

Keywords: distributed ray tracing, global illumination, irradiance caching, micro-polygon, rendering

Results 1 - 20 of 127

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [next](#) [>>](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)